The Multidimensional Wisdom of Crowds

Peter Welinder

California Institute of Technology

Steve Branson

Serge Belongie

Pietro Perona

Indigo Bunting
















5,926 results

6000 images from flickr.com










Building datasets



100s of training images









6000 images from flickr.com










Building datasets

Annotators





Is there an Indigo bunting in the image?

100s of training images









Find the Indigo Bunting













Find the Indigo Bunting

























Find the Indigo Bunting





















Strategies for binary labels

- Heuristics:
 - Majority
 - Traps
 - Qualifications


Model annotators:


- Dawid and Skene (1979)
- Raykar et al. (2009)
- Model image difficulty:
 - Whitehill et al. (2009)






Characterizing annotators: types of errors
















































































Optimists and pessimists: au_j



Optimists and pessimists: au_j



Optimists and pessimists: au_j




Multidimensional signals and annotators $p(\mathbf{x}_i \mid z_i = 1)$ x_i^2 $\mathbf{x}_i = (x_i^1, x_i^2)$ x_i^{\perp} $p(\mathbf{x}_i \mid z_i = 0)$


Multidimensional signals and annotators


 x_i^2


 $p(\mathbf{x}_i \mid z_i = 1)$


 $-x_{\dot{c}}^{1}$





























Experiments: estimating z_i

Indigo Bunting













Blue Grosbeak



















Experiments: estimating z_i





Experiments: estimating z_i





Synthetic figures distinguished by <u>height</u> and <u>color</u>






Send to <u>two</u> groups of annotators





Select green greebles





Select tall greebles

















Last Experiment: Waterbirds

Mallard



American Black Duck



Canada Goose




Red Necked Grebe







DUCKS



Canada Goose




Red Necked Grebe










Is there a duck in the image? x_i^2 2 1 0 -22.0 -2.0-1.5-0.50.0 1.5 0.5 1.0 -1.0 x_i^{\perp}












 \mathcal{X}_{i}^{\perp}



 x_i





Summary

- Estimate reliable labels
- Annotator competence and optimism
- Annotator expertise
- Image ambiguity/difficulty

- Image grouping
- Schools of thought

thank you

learn more at poster W33