



The good, the bad, and the ugly: neural coding of upshifted, downshifted and blocked cues in the orbitofrontal cortex





Geoffrey Schoenbaum, MD, PhD
Branch Chief and Senior Investigator
National Institute on Drug Abuse
Intramural Research Program
Baltimore, MD








**So type of information
does the orbitofrontal cortex contribute?**






a

Human




b

Macaque monkey




c

Rat




Blocking and Unblocking


Blocking and Unblocking



Blocking and Unblocking




Blocking and Unblocking




Learning.....

Sham-Lesioned
Controls




Orbitofrontal
Lesions






Learning.....

Sham-Lesioned
Controls




Orbitofrontal
Lesions




Probe for value based unblocking....

Sham-Lesioned
Controls




Orbitofrontal
Lesions






Probe for value based unblocking....

Sham-Lesioned
Controls




Orbitofrontal
Lesions




Probe for identity based unblocking....

Sham-Lesioned
Controls




Orbitofrontal
Lesions






Probe for identity based unblocking....

Sham-Lesioned
Controls




Orbitofrontal
Lesions



So is that consistent with correlates in OFC?


Behavioral procedures for recording

Behavioral procedures for recording



Behavioral procedures for recording

Initial Training





Behavioral procedures for recording

Initial Training



Unblocking/Recording




Behavioral procedures for recording



Initial Training






Unblocking/Recording




Probe Test




Behavioral procedures for recording



Predictions for odor firing




Predictions for odor firing




Predictions for odor firing

If OFC activity reflects predicted **value**



Predictions for odor firing


If OFC activity reflects predicted **value**



Only an increase in reward
number will support odor firing


Predictions for odor firing

If OFC activity reflects predicted features



Predictions for odor firing

If OFC activity reflects predicted **features**




Increase in reward number
or change in flavor
will support odor firing

Many OFC neurons (~1/3) fired to the critical odor cues.

**Many OFC neurons (~1/3) fired to the critical odor cues.
About half of these neurons fired to novel odors generally.....**



Many OFC neurons (~1/3) fired to the critical odor cues.

About half of these neurons fired to novel odors generally.....






Many OFC neurons (~1/3) fired to the critical odor cues.

About half of these neurons fired to novel odors generally.....







Many OFC neurons (~1/3) fired to the critical odor cues.

About half of these neurons fired to novel odors generally.....




Many OFC neurons (~1/3) fired to the critical odor cues.

About half of these neurons fired to novel odors generally.....





**Remaining neurons showed associative firing
to the predictive odors....**



Remaining neurons showed associative firing to the predictive odors....



Remaining neurons showed associative firing to the predictive odors....




Remaining neurons showed associative firing to the predictive odors....




Activity to valued and value-less cues was similar....


Activity to valued and value-less cues was similar....





Activity to valued and value-less cues was similar....






Activity to valued and value-less cues was similar....



Activity to valued and value-less cues was similar....



Activity to valued and value-less cues was similar....



OFC neurons acquired activity to the cue predicting new reward features but no change in value.


Activity to this valueless cue was largely similar to activity to a similar cue predicting a more reward.

But is signaling of more reward in OFC during unblocking a value signal or could it be a feature?

OFC neurons acquired activity to the cue predicting new reward features but no change in value.

Activity to this valueless cue was largely similar to activity to a similar cue predicting a more reward.


But is signaling of more reward in OFC during unblocking a value signal or could it be a feature?



OFC neurons acquired activity to the cue predicting new reward features but no change in value.

Activity to this valueless cue was largely similar to activity to a similar cue predicting a more reward.


But is signaling of more reward in OFC during unblocking a value signal or could it be a feature?



OFC neurons acquired activity to the cue predicting new reward features but no change in value.


Activity to this valueless cue was largely similar to activity to a similar cue predicting a more reward.

But is signaling of more reward in OFC during unblocking a value signal or could it be a feature?




Behavioral procedures for recording

Behavioral procedures for recording



Behavioral procedures for recording

Initial Training





Behavioral procedures for recording

Initial Training



Unblocking/Recording





Behavioral procedures for recording

Initial Training



Unblocking/Recording





Behavioral procedures for recording

Initial Training



Unblocking/Recording





Behavioral procedures for recording

Initial Training



Unblocking/Recording





Behavioral procedures for recording

Initial Training



Unblocking/Recording





Behavioral procedures for recording

Initial Training



Unblocking/Recording




Behavioral procedures for recording



Initial Training






Unblocking/Recording





Probe Test



Behavioral procedures for recording




Behavioral procedures for recording




Again many neurons fired to cue predicting more reward,

**Again many neurons fired to cue predicting more reward,
and this activity developed with training.....**





Including some neurons that seem to code value...




Including some neurons that seem to code value...



Including some neurons that seem to code value...




Including some neurons that seem to code value...





Many neurons (half) fired to cue predicting more reward...



Many neurons (half) fired to cue predicting more reward...






Many neurons (half) fired to cue predicting more reward...




Many neurons (half) fired to cue predicting more reward...





Many neurons (half) fired to cue predicting more reward...




Many neurons (half) fired to cue predicting more reward...




Many neurons (half) fired to cue predicting more reward...




Many neurons (half) fired to cue predicting more reward...







Downshift population histogram





Upshift only population histogram



Many neurons (half) fired to cue predicting more reward...



**So type of information
does the orbitofrontal cortex contribute?**





Mike McDannald, PhD
Josh Jones, PhD
Guillermo Esber, PhD

Nina Lopatina

Tzu-Lan Liu, MS
Kathryn Burke, PhD

And generous grant support from the NIDA, NIA, NIMH.